

Tuesday, October 25, 2022

## STASH, Vol. 18(11) – Anniversary reaction: Substance use and suicide in the wake of a parent's death

Children who have lost a parent or other relative are at [increased risk for psychological and behavioral health problems](#), including substance use disorder and suicide-related behavior. The anniversary of a loved one's death can trigger intense feelings of grief, anger, depression, and despair that contribute to negative health outcomes, also known as the [anniversary reaction](#). This week, STASH reviews a [study by Ayako Hiyoshi and colleagues](#) that examined whether the risk of substance use disorder and suicide-related behavior among children increases around the date of their parent's death and subsequent anniversaries.

### What was the research question?

Does the risk of substance use disorder and suicide-related behavior among children increase around the date of their parent's death and subsequent anniversaries?

### What did the researchers do?

The researchers conducted a [register-based cohort study](#) of Swedish children, examining their medical data from age 12 through 24 years old to see when diagnoses of substance use disorder or suicide-related behavior occurred in relation to the date of their parent's death. The researchers then used [survival analysis](#) to estimate the risk of substance use disorder and suicide-related behavior among children who had experienced the death of a parent, compared to those who had not lost a parent, over time.

### What did they find?

During the month of their parent's death, children had an increased risk of suicide-related behavior and males also had an increased risk of substance use disorder (see Figure). Among males, there was an increased risk of both outcomes around the first anniversary, while females had an increased risk of suicide-related behavior around the first and second anniversaries. Females additionally experienced an increased risk of substance use disorder every year in the month before the anniversary.




Figure. [Hazard ratios](#) for the risk of substance use disorder and suicide-related behavior occurring during the month of parental death and subsequent anniversary months.<sup>1</sup> A hazard ratio of 1.0 indicates no association, greater than 1.0 indicates increased risk, and less than 1.0 indicates decreased risk. Click image to enlarge.

### Why do these findings matter?

Losing a parent at a young age increases the risk of substance use disorder and suicide-related behavior, particularly during the first month after and near the anniversary of a parent's death. [Early initiation of substance use](#) and [adolescent suicide-related behavior](#) can lead to future behavioral and mental health issues. Thus, the month of a parent's death and subsequent anniversary months may be especially important times to provide extra [support for children](#), such as support groups or camps

that normalize the grieving process and help the child express feelings and learn healthier coping strategies.

### Every study has limitations. What are the limitations in this study?

The [sample](#) was restricted to Swedish individuals between 12-24 years old, so the findings may not be [generalizable](#) to people outside of Sweden or in different age groups.

### For more information:

Do you think you or someone you know has suicidal thoughts or ideations? Please call the National Suicide Prevention Lifeline at 9-8-8. If you are worried that you or someone you know is experiencing addiction, the [SAMHSA National Helpline](#) is a free treatment and information service available 24/7. For more details about addiction, visit our [Addiction Resources](#) page.

-- Caitlyn Matykiewicz, MPH

*What do you think? Please use the comment link below to provide feedback on this article.*

---

[1] Anniversary month refers to the day of anniversary to one month after anniversary.

Posted at 09:20 AM in [Science Threads on Addiction, Substance Use, and Health \(STASH\)](#) | [Permalink](#)



## Comments

### Post a comment

Comments are moderated, and will not appear until the author has approved them.

Comment below or sign in with [Typepad](#) [Facebook](#) [Twitter](#) and [more...](#)

(URLs automatically linked.)

#### Your Information

(Name and email address are required. Email address will not be displayed with the comment.)

The BASIS is a product of the [Division on Addiction, Cambridge Health Alliance](#), a Harvard Medical School teaching hospital. **The Division is an entirely self-funded academic organization that relies on grants, contracts, and gifts in order to produce The BASIS and our other high-quality work.**